



STANDARD AS568 O-RING SIZES

AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-001	3/32	3/32	1/32	.040	0.029	0.74	1.02
-002	3/64	9/64	3/64	.050	.042	1.07	1.27
-003	1/16	3/16	1/16	.060	.056	1.42	1.52
-004	5/64	13/64	1/16	.070	.070	1.78	1.78
-005	3/32	7/32	1/16	.070	.101	2.57	1.78
-006	1/8	1/4	1/16	.070	.114	2.90	1.78
-007	5/32	9/32	1/16	.070	.145	3.68	1.78
-008	3/16	5/16	1/16	.070	.176	4.47	1.78
-009	7/32	11/32	1/16	.070	.208	5.28	1.78
-010	1/4	3/8	1/16	.070	.239	6.07	1.78
-011	5/16	7/16	1/16	.070	0.301	7.65	1.78
-012	3/8	1/2	1/16	.070	.364	9.25	1.78
-013	7/16	9/16	1/16	.070	.426	10.82	1.78
-014	1/2	5/8	1/16	.070	.489	12.42	1.78
-015	9/16	11/16	1/16	.070	.551	14.00	1.78
-016	5/8	3/4	1/16	.070	.614	15.60	1.78
-017	11/16	13/16	1/16	.070	.676	17.17	1.78
-018	3/4	7/8	1/16	.070	.739	18.77	1.78
-019	13/16	15/16	1/16	.070	.801	20.35	1.78
-020	7/8	1	1/16	.070	.864	21.95	1.78
-021	15/16	1-1/16	1/16	.070	0.926	23.52	1.78
-022	1	1-1/8	1/16	.070	.989	25.12	1.78
-023	1-1/16	1-3/16	1/16	.070	1.051	26.70	1.78
-024	1-1/8	1-1/4	1/16	.070	1.114	28.30	1.78
-025	1-3/16	1-5/16	1/16	.070	1.176	29.87	1.78
-026	1-1/4	1-3/8	1/16	.070	1.239	31.47	1.78
-027	1-5/16	1-7/16	1/16	.070	1.301	33.05	1.78
-028	1-3/8	1-1/2	1/16	.070	1.364	34.65	1.78
-029	1-1/2	1-5/8	1/16	.070	1.489	37.82	1.78
-030	1-5/8	1-3/4	1/16	.070	1.614	41.00	1.78
-031	1-3/4	1-7/8	1/16	.070	1.739	44.17	1.78
-032	1-7/8	2	1/16	.070	1.864	47.35	1.78
-033	2	2-1/8	1/16	.070	1.989	50.52	1.78
-034	2-1/8	2-1/4	1/16	.070	2.114	53.70	1.78
-035	2-1/4	2-3/8	1/16	.070	2.239	56.87	1.78
-036	2-3/8	2-1/2	1/16	.070	2.364	60.05	1.78
-037	2-1/2	2-5/8	1/16	.070	2.489	63.22	1.78
-038	2-5/8	2-3/4	1/16	.070	2.614	66.40	1.78
-039	2-3/4	2-7/8	1/16	.070	2.739	69.57	1.78
-040	2-7/8	3	1/16	.070	2.864	72.75	1.78
-041	3	3-1/8	1/16	.070	2.989	75.92	1.78
-042	3-1/4	3-3/8	1/16	.070	3.239	82.27	1.78
-043	3-1/2	3-5/8	1/16	.070	3.489	88.62	1.78
-044	3-3/4	3-7/8	1/16	.070	3.739	94.97	1.78
-045	4	4-1/8	1/16	.070	3.989	101.32	1.78
-046	4-1/4	4-3/8	1/16	.070	4.239	107.67	1.78
-047	4-1/2	4-5/8	1/16	.070	4.489	114.02	1.78
-048	4-3/4	4-7/8	1/16	.070	4.739	120.37	1.78
-049	5	5-1/8	1/16	.070	4.989	126.72	1.78



STANDARD AS568 O-RING SIZES

AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-050	5-1/4	5-3/8	1/16	.070	5.239	133.07	1.78
-102	1/16	1/4	3/32	.103	0.049	1.24	2.62
-103	3/32	9/32	3/32	.103	.081	2.06	2.62
-104	1/8	5/16	3/32	.103	.112	2.84	2.62
-105	5/32	11/32	3/32	.103	.143	3.63	2.62
-106	3/16	3/8	3/32	.103	.174	4.42	2.62
-107	7/32	13/32	3/32	.103	.206	5.23	2.62
-108	1/4	7/16	3/32	.103	.237	6.02	2.62
-109	5/16	1/2	3/32	.103	.299	7.59	2.62
-110	3/8	9/16	3/32	.103	.362	9.19	2.62
-111	7/16	5/8	3/32	.103	0.424	10.77	2.62
-112	1/2	11/16	3/32	.103	.487	12.37	2.62
-113	9/16	3/4	3/32	.103	.549	13.94	2.62
-114	5/8	13/16	3/32	.103	.612	15.54	2.62
-115	11/16	7/8	3/32	.103	.674	17.12	2.62
-116	3/4	15/16	3/32	.103	.737	18.72	2.62
-117	13/16	1	3/32	.103	.799	20.30	2.62
-118	7/8	1-1/16	3/32	.103	.862	21.89	2.62
-119	15/16	1-1/8	3/32	.103	.924	23.47	2.62
-120	1	1-3/16	3/32	.103	.987	25.07	2.62
-121	1-1/16	1-1/4	3/32	.103	1.049	26.64	2.62
-122	1-1/8	1-5/16	3/32	.103	1.112	28.24	2.62
-123	1-3/16	1-3/8	3/32	.103	1.174	29.82	2.62
-124	1-1/4	1-7/16	3/32	.103	1.237	31.42	2.62
-125	1-5/16	1-1/2	3/32	.103	1.299	32.99	2.62
-126	1-3/8	1-9/16	3/32	.103	1.362	34.59	2.62
-127	1-7/16	1-5/8	3/32	.103	1.424	36.17	2.62
-128	1-1/2	1-11/16	3/32	.103	1.487	37.77	2.62
-129	1-9/16	1-3/4	3/32	.103	1.549	39.34	2.62
-130	1-5/8	1-13/16	3/32	.103	1.612	40.94	2.62
-131	1-11/16	1-7/8	3/32	.103	1.674	42.52	2.62
-132	1-3/4	1-15/16	3/32	.103	1.737	44.12	2.62
-133	1-13/16	2	3/32	.103	1.799	45.69	2.62
-134	1-7/8	2-1/16	3/32	.103	1.862	47.30	2.62
-135	1-15/16	2-1/8	3/32	.103	1.925	48.90	2.62
-136	2	2-3/16	3/32	.103	1.987	50.47	2.62
-137	2-1/16	2-1/4	3/32	.103	2.050	52.07	2.62
-138	2-1/8	2-5/16	3/32	.103	2.112	53.64	2.62
-139	2-3/16	2-3/8	3/32	.103	2.175	55.25	2.62
-140	2-1/4	2-7/16	3/32	.103	2.237	56.82	2.62
-141	2-5/16	2-1/2	3/32	.103	2.3	58.42	2.62
-142	2-3/8	2-9/16	3/32	.103	2.362	59.99	2.62
-143	2-7/16	2-5/8	3/32	.103	2.425	61.60	2.62
-144	2-1/2	2-11/16	3/32	.103	2.487	63.17	2.62
-145	2-9/16	2-3/4	3/32	.103	2.550	64.77	2.62
-146	2-5/8	2-13/16	3/32	.103	2.612	66.34	2.62
-147	2-11/16	2-7/8	3/32	.103	2.675	67.95	2.62
-148	2-3/4	2-15/16	3/32	.103	2.737	69.52	2.62
-149	2-13/16	3	3/32	.103	2.800	71.12	2.62



STANDARD AS568 O-RING SIZES

AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-150	2-7/8	3-1/16	3/32	.103	2.862	72.69	2.62
-151	3	3-3/16	3/32	.103	2.987	75.87	2.62
-152	3-1/4	3-7/16	3/32	.103	3.237	82.22	2.62
-153	3-1/2	3-11/16	3/32	.103	3.487	88.57	2.62
-154	3-3/4	3-15/16	3/32	.103	3.737	94.92	2.62
-155	4	4-3/16	3/32	.103	3.987	101.27	2.62
-156	4-1/4	4-7/16	3/32	.103	4.237	107.62	2.62
-157	4-1/2	4-11/16	3/32	.103	4.487	113.97	2.62
-158	4-3/4	4-15/16	3/32	.103	4.737	120.32	2.62
-159	5	5-3/16	3/32	.103	4.987	126.67	2.62
-160	5-1/4	5-7/16	3/32	.103	5.237	133.02	2.62
-161	5-1/2	5-11/16	3/32	.103	5.487	139.37	2.62
-162	5-3/4	5-15/16	3/32	.103	5.737	145.72	2.62
-163	6	6-3/16	3/32	.103	5.987	152.07	2.62
-164	6-1/4	6-7/16	3/32	.103	6.237	158.42	2.62
-165	6-1/2	6-11/16	3/32	.103	6.487	164.77	2.62
-166	6-3/4	6-15/16	3/32	.103	6.737	171.12	2.62
-167	7	7-3/16	3/32	.103	6.987	177.47	2.62
-168	7-1/4	7-7/16	3/32	.103	7.237	183.82	2.62
-169	7-1/2	7-11/16	3/32	.103	7.487	190.17	2.62
-170	7-3/4	7-15/16	3/32	.103	7.737	196.52	2.62
-171	8	8-3/16	3/32	.103	7.987	202.87	2.62
-172	8-1/4	8-7/16	3/32	.103	8.237	209.22	2.62
-173	8-1/2	8-11/16	3/32	.103	8.487	215.57	2.62
-174	8-3/4	8-15/16	3/32	.103	8.737	221.92	2.62
-175	9	9-3/16	3/32	.103	8.987	228.27	2.62
-176	9-1/4	9-7/16	3/32	.103	9.237	234.62	2.62
-177	9-1/2	9-11/16	3/32	.103	9.487	240.97	2.62
-178	9-3/4	9-15/16	3/32	.103	9.737	247.32	2.62
-201	3/16	7/16	1/8	.139	0.171	4.34	3.53
-202	1/4	1/2	1/8	.139	.234	5.94	3.53
-203	5/16	9/16	1/8	.139	.296	7.52	3.53
-204	3/8	5/8	1/8	.139	.359	9.12	3.53
-205	7/16	11/16	1/8	.139	.421	10.69	3.53
-206	1/2	3/4	1/8	.139	.484	12.29	3.53
-207	9/16	13/16	1/8	.139	.546	13.87	3.53
-208	5/8	7/8	1/8	.139	.609	15.47	3.53
-209	11/16	15/16	1/8	.139	.671	17.04	3.53
-210	3/4	1	1/8	.139	.734	18.64	3.53
-211	13/16	1-1/16	1/8	.139	.796	20.22	3.53
-212	7/8	1-1/8	1/8	.139	.859	21.82	3.53
-213	15/16	1-3/16	1/8	.139	.921	23.39	3.53
-214	1	1-1/4	1/8	.139	.984	25.00	3.53
-215	1-1/16	1-5/16	1/8	.139	1.046	26.57	3.53
-216	1-1/8	1-3/8	1/8	.139	1.109	28.17	3.53
-217	1-3/16	1-7/16	1/8	.139	1.171	29.74	3.53
-218	1-1/4	1-1/2	1/8	.139	1.234	31.34	3.53
-219	1-5/16	1-9/16	1/8	.139	1.296	32.92	3.53



AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-220	1-3/8	1-5/8	1/8	.139	1.359	34.52	3.53
-221	1-7/16	1-11/16	1/8	.139	1.421	36.09	3.53
-222	1-1/2	1-3/4	1/8	.139	1.484	37.69	3.53
-223	1-5/8	1-7/8	1/8	.139	1.609	40.87	3.53
-224	1-3/4	2	1/8	.139	1.734	44.04	3.53
-225	1-7/8	2-1/8	1/8	.139	1.859	47.22	3.53
-226	2	2-1/4	1/8	.139	1.984	50.39	3.53
-227	2-1/16	2-3/8	1/8	.139	2.109	53.57	3.53
-228	2-1/4	2-1/2	1/8	.139	2.234	56.74	3.53
-229	2-3/8	2-5/8	1/8	.139	2.359	59.92	3.53
-230	2-1/2	2-3/4	1/8	.139	2.484	63.09	3.53
-231	2-5/8	2-7/8	1/8	.139	2.609	66.27	3.53
-232	2-3/4	3	1/8	.139	2.734	69.44	3.53
-233	2-7/8	3-1/8	1/8	.139	2.859	72.62	3.53
-234	3	3-1/4	1/8	.139	2.984	75.79	3.53
-235	3-1/8	3-3/8	1/8	.139	3.109	78.97	3.53
-236	3-1/4	3-1/2	1/8	.139	3.234	82.14	3.53
-237	3-3/8	3-5/8	1/8	.139	3.359	85.32	3.53
-238	3-1/2	3-3/4	1/8	.139	3.484	88.49	3.53
-239	3-5/8	3-7/8	1/8	.139	3.609	91.67	3.53
-240	3-3/4	4	1/8	.139	3.734	94.84	3.53
-241	3-7/8	4-1/8	1/8	.139	3.859	98.02	3.53
-242	4	4-1/4	1/8	.139	3.984	101.19	3.53
-243	4-1/8	4-3/8	1/8	.139	4.109	104.37	3.53
-244	4-1/4	4-1/2	1/8	.139	4.234	107.54	3.53
-245	4-3/8	4-5/8	1/8	.139	4.359	110.72	3.53
-246	4-1/2	4-3/4	1/8	.139	4.484	113.89	3.53
-247	4-5/8	4-7/8	1/8	.139	4.609	117.07	3.53
-248	4-3/4	5	1/8	.139	4.734	120.24	3.53
-249	4-7/8	5-1/8	1/8	.139	4.859	123.42	3.53
-250	5	5-1/4	1/8	.139	4.984	126.59	3.53
-251	5-1/8	5-3/8	1/8	.139	5.109	129.77	3.53
-252	5-1/4	5-1/2	1/8	.139	5.234	132.94	3.53
-253	5-3/8	5-5/8	1/8	.139	5.359	136.12	3.53
-254	5-1/2	5-3/4	1/8	.139	5.484	139.29	3.53
-255	5-5/8	5-7/8	1/8	.139	5.609	142.47	3.53
-256	5-3/4	6	1/8	.139	5.734	145.65	3.53
-257	5-7/8	6-1/8	1/8	.139	5.859	148.82	3.53
-258	6	6-1/4	1/8	.139	5.984	151.99	3.53
-259	6-1/4	6-1/2	1/8	.139	6.234	158.34	3.53
-260	6-1/2	6-3/4	1/8	.139	6.484	164.69	3.53
-261	6-3/4	7	1/8	.139	6.734	171.04	3.53
-262	7	7-1/4	1/8	.139	6.984	177.39	3.53
-263	7-1/4	7-1/2	1/8	.139	7.234	183.74	3.53
-264	7-1/2	7-3/4	1/8	.139	7.484	190.09	3.53
-265	7-3/4	8	1/8	.139	7.734	196.44	3.53
-266	8	8-1/4	1/8	.139	7.984	202.79	3.53
-267	8-1/4	8-1/2	1/8	.139	8.234	209.14	3.53
-268	8-1/2	8-3/4	1/8	.139	8.484	215.49	3.53



AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-269	8-3/4	9	1/8	.139	8.734	221.84	3.53
-270	9	9-1/4	1/8	.139	8.984	228.19	3.53
-271	9-1/4	9-1/2	1/8	.139	9.234	234.54	3.53
-272	9-1/2	9-3/4	1/8	.139	9.484	240.89	3.53
-273	9-3/4	10	1/8	.139	9.734	247.24	3.53
-274	10	10-1/4	1/8	.139	9.984	253.59	3.53
-275	10-1/2	10-3/4	1/8	.139	10.484	266.29	3.53
-276	11	11-1/4	1/8	.139	10.984	278.99	3.53
-277	11-1/2	11-3/4	1/8	.139	11.484	291.69	3.53
-278	12	12-1/4	1/8	.139	11.984	304.39	3.53
-279	13	13-1/4	1/8	.139	12.984	329.79	3.53
-280	14	14-1/4	1/8	.139	13.984	355.19	3.53
-281	15	15-1/4	1/8	.139	14.984	380.59	3.53
-282	16	16-1/4	1/8	.139	15.955	405.26	3.53
-283	17	17-1/4	1/8	.139	16.955	430.66	3.53
-284	18	18-1/4	1/8	.139	17.955	456.06	3.53
-309	7/16	13/16	3/16	.210	.412	10.46	5.33
-310	1/2	7/8	3/16	.210	.475	12.07	5.33
-311	9/16	15-16	3/16	.210	.537	13.64	5.33
-312	5/8	1	3/16	.210	.600	15.24	5.33
-313	11-16	1-1/16	3/16	.210	.662	16.81	5.33
-314	3/4	1-1/8	3/16	.210	.725	18.42	5.33
-315	13/16	1-3/6	3/16	.210	.787	19.99	5.33
-316	7/8	1-1/4	3/16	.210	.850	21.59	5.33
-317	15/16	1-5/16	3/16	.210	.912	23.16	5.33
-318	1	1-3/8	3/16	.210	.975	24.77	5.33
-319	1-1/16	1-7/16	3/16	.210	1.037	26.34	5.33
-320	1-1/8	1-1/2	3/16	.210	1.100	27.94	5.33
-321	1-3/16	1-9/16	3/16	.210	1.162	29.51	5.33
-322	1-1/4	1-5/8	3/16	.210	1.225	31.12	5.33
-323	1-5/16	1-11/16	3/16	.210	1.287	32.69	5.33
-324	1-3/8	1-3/4	3/16	.210	1.350	34.29	5.33
-325	1-1/2	1-7/8	3/16	.210	1.475	37.47	5.33
-326	1-5/8	2	3/16	.210	1.600	40.64	5.33
-327	1-3/4	2-1/8	3/16	.210	1.725	43.82	5.33
-328	1-7/8	2-1/4	3/16	.210	1.850	46.99	5.33
-329	2	2-3/8	3/16	.210	1.975	50.17	5.33
-330	2-1/8	2-1/2	3/16	.210	2.100	53.34	5.33
-331	2-1/4	2-5/8	3/16	.210	2.225	56.52	5.33
-332	2-3/8	2-3/4	3/16	.210	2.350	59.69	5.33
-333	2-1/2	2-7/8	3/16	.210	2.475	62.87	5.33
-334	2-5/8	3	3/16	.210	2.600	66.04	5.33
-335	2-3/4	3-1/8	3/16	.210	2.725	69.22	5.33
-336	2-7/8	3-1/4	3/16	.210	2.850	72.39	5.33
-337	3	3-3/8	3/16	.210	2.975	75.57	5.33
-338	3-1/8	3-1/2	3/16	.210	3.100	78.74	5.33
-339	3-1/4	3-5/8	3/16	.210	3.225	91.92	5.33
-340	3-3/8	3-3/4	3/16	.210	3.350	85.09	5.33



AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-341	3-1/2	3-7/8	3/16	.210	3.475	88.27	5.33
-342	3-5/8	4	3/16	.210	3.600	91.44	5.33
-343	3-3/4	4-1/8	3/16	.210	3.725	94.62	5.33
-344	3-7/8	4-1/4	3/16	.210	3.850	97.79	5.33
-345	4	4-3/8	3/16	.210	3.975	100.97	5.33
-346	4-1/8	4-1/2	3/16	.210	4.100	104.14	5.33
-347	4-1/4	4-5/8	3/16	.210	4.225	107.32	5.33
-348	4-3/8	4-3/4	3/16	.210	4.350	110.49	5.33
-349	4-1/2	4-7/8	3/16	.210	4.475	113.67	5.33
-350	4-5/8	5	3/16	.210	4.600	116.84	5.33
-351	4-3/4	5-1/8	3/16	.210	4.725	120.02	5.33
-352	4-7/8	5-1/4	3/16	.210	4.850	123.19	5.33
-353	5	5-3/8	3/16	.210	4.975	126.37	5.33
-354	5-1/8	5-1/2	3/16	.210	5.100	129.54	5.33
-355	5-1/4	5-5/8	3/16	.210	5.225	132.72	5.33
-356	5-3/8	5-3/4	3/16	.210	5.350	135.89	5.33
-357	5-1/2	5-7/8	3/16	.210	5.475	139.07	5.33
-358	5-5/8	6	3/16	.210	5.600	142.24	5.33
-359	5-3/4	6-1/8	3/16	.210	5.725	145.42	5.33
-360	5-7/8	6-1/4	3/16	.210	5.850	148.59	5.33
-361	6	6-3/8	3/16	.210	5.975	151.77	5.33
-362	6-1/4	6-5/8	3/16	.210	6.225	158.12	5.33
-363	6-1/2	6-7/8	3/16	.210	6.475	164.47	5.33
-364	6-3/4	7-1/8	3/16	.210	6.725	170.82	5.33
-365	7	7-3/8	3/16	.210	6.975	177.17	5.33
-366	7-1/4	7-5/8	3/16	.210	7.225	183.52	5.33
-367	7-1/2	7-7/8	3/16	.210	7.475	189.87	5.33
-368	7-3/4	8-1/8	3/16	.210	7.725	196.22	5.33
-369	8	8-3/8	3/16	.210	7.975	202.57	5.33
-370	8-1/4	8-5/8	3/16	.210	8.225	208.92	5.33
-371	8-1/2	8-7/8	3/16	.210	8.475	215.27	5.33
-372	8-3/4	9-1/8	3/16	.210	8.725	221.62	5.33
-373	9	9-3/8	3/16	.210	8.975	227.97	5.33
-374	9-1/4	9-5/8	3/16	.210	9.225	234.32	5.33
-375	9-1/2	9-7/8	3/16	.210	9.475	240.67	5.33
-376	9-3/4	10-1/8	3/16	.210	9.725	247.02	5.33
-377	10	10-3/8	3/16	.210	9.975	253.37	5.33
-378	10-1/2	10-7/8	3/16	.210	10.475	266.07	5.33
-379	11	11-3/8	3/16	.210	10.975	278.77	5.33
-380	11-1/2	11-7/8	3/16	.210	11.475	291.47	5.33
-381	12	12-3/8	3/16	.210	11.975	304.17	5.33
-382	13	13-3/8	3/16	.210	12.975	329.57	5.33
-383	14	14-3/8	3/16	.210	13.975	354.97	5.33
-384	15	15-3/8	3/16	.210	14.975	380.37	5.33
-385	16	16-3/8	3/16	.210	15.955	405.26	5.33
-386	17	17-3/8	3/16	.210	16.955	430.66	5.33
-387	18	18-3/8	3/16	.210	17.955	456.06	5.33
-388	19	19-3/8	3/16	.210	18.955	481.41	5.33
-389	20	20-3/8	3/16	.210	19.955	506.81	5.33



STANDARD AS568 O-RING SIZES

AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-390	21	21-3/8	3/16	.210	20.955	532.21	5.33
-391	22	22-3/8	3/16	.210	21.955	557.61	5.33
-392	23	23-3/8	3/16	.210	22.940	582.68	5.33
-393	24	24-3/8	3/16	.210	23.940	608.08	5.33
-394	25	25-3/8	3/16	.210	24.940	633.48	5.33
-395	26	26-3/8	3/16	.210	25.940	658.88	5.33
-425	4-1/2	5	1/4	.275	4.475	113.67	6.99
-426	4-5/8	5-1/8	1/4	.275	4.600	116.84	6.99
-427	4-3/4	5-1/4	1/4	.275	4.725	120.02	6.99
-428	4-7/8	5-3/8	1/4	.275	4.850	123.19	6.99
-429	5	5-1/2	1/4	.275	4.975	126.37	6.99
-430	5-1/8	5-5/8	1/4	.275	5.100	129.54	6.99
-431	5-1/4	5-3/4	1/4	.275	5.225	132.72	6.99
-432	5-3/8	5-7/8	1/4	.275	5.350	135.89	6.99
-433	5-1/2	6	1/4	.275	5.475	139.07	6.99
-434	5-5/8	6-1/8	1/4	.275	5.600	142.24	6.99
-435	5-3/4	6-1/4	1/4	.275	5.725	145.42	6.99
-436	5-7/8	6-3/8	1/4	.275	5.850	148.59	6.99
-437	6	6-1/2	1/4	.275	5.975	151.77	6.99
-438	6-1/4	6-3/4	1/4	.275	6.225	158.12	6.99
-439	6-1/2	7	1/4	.275	6.475	164.47	6.99
-440	6-3/4	7-1/4	1/4	.275	6.725	170.82	6.99
-441	7	7-1/2	1/4	.275	6.975	177.17	6.99
-442	7-1/4	7-3/4	1/4	.275	7.225	183.52	6.99
-443	7-1/2	8	1/4	.275	7.475	189.87	6.99
-444	7-3/4	8-1/4	1/4	.275	7.725	196.22	6.99
-445	8	8-1/2	1/4	.275	7.975	202.57	6.99
-446	8-1/2	9	1/4	.275	8.475	215.27	6.99
-447	9	9-1/2	1/4	.275	8.975	227.97	6.99
-448	9-1/2	10	1/4	.275	9.475	240.67	6.99
-449	10	10-1/2	1/4	.275	9.975	253.37	6.99
-450	10-1/2	11	1/4	.275	10.475	266.07	6.99
-451	11	11-1/2	1/4	.275	10.975	278.77	6.99
-452	11-1/2	12	1/4	.275	11.475	291.47	6.99
-453	12	12-1/2	1/4	.275	11.975	304.17	6.99
-454	12-1/2	13	1/4	.275	12.475	316.87	6.99
-455	13	13-1/2	1/4	.275	12.975	329.57	6.99
-456	13-1/2	14	1/4	.275	13.457	342.27	6.99
-457	14	14-1/2	1/4	.275	13.975	354.97	6.99
-458	14-1/2	15	1/4	.275	14.475	367.67	6.99
-459	15	15-1/2	1/4	.275	14.975	380.37	6.99
-460	15-1/2	16	1/4	.275	15.475	393.07	6.99
-461	16	16-1/2	1/4	.275	15.955	405.26	6.99
-462	16-1/2	17	1/4	.275	16.455	417.96	6.99
-463	17	17-1/2	1/4	.275	16.955	430.66	6.99
-464	17-1/2	18	1/4	.275	17.455	443.36	6.99
-465	18	18-1/2	1/4	.275	17.955	456.06	6.99
-466	18-1/2	19	1/4	.275	18.455	468.76	6.99
-467	19	19-1/2	1/4	.275	18.955	481.46	6.99



AS568 SIZE	NOMINAL DIMENSIONS			ACTUAL DIMENSIONS			
	I.D.	O.D.	C.S. FRAC	C.S. DEC	I.D. DEC	I.D. MM	C.S. MM
-468	19-1/2	20	1/4	.275	19.455	494.16	6.99
-469	20	20-1/2	1/4	.275	19.955	506.86	6.99
-470	21	21-1/2	1/4	.275	20.955	532.26	6.99
-471	22	22-1/2	1/4	.275	21.955	557.66	6.99
-472	23	23-1/2	1/4	.275	22.940	582.68	6.99
-473	24	24-1/2	1/4	.275	23.940	608.08	6.99
-474	25	25-1/2	1/4	.275	24.940	633.48	6.99
-475	26	26-1/2	1/4	.275	25.940	658.88	6.99
-901	3/32	7/64	1/20	.056	.185	4.70	1.42
-902	1/8	3/16	1/16	.064	.239	6.07	1.63
-903	3/16	1/4	1/16	.064	.301	7.65	1.63
-904	1/4	5/14	1/14	.072	.351	8.92	1.83
-905	5/16	1/2	1/14	.072	.414	10.52	1.83
-906	3/8	6/13	1/13	.078	.468	11.89	1.98
-907	7/16	7/12	1/12	.082	.530	13.46	2.08
-908	1/2	6/11	1/11	.087	.644	16.36	2.21
-909	9/16	11/16	1/10	.097	.706	17.93	2.46
-910	5/8	3/4	1/10	.097	.755	19.18	2.46
-911	11/16	13/18	1/9	.116	.863	21.92	2.95
-912	3/4	7/9	1/9	.116	.924	23.47	2.95
-913	13/16	7/8	1/9	.116	.986	25.04	2.95
-914	7/8	15/16	1/9	.116	1.047	26.59	2.95
-916	1	1-1/9	1/9	.116	1.171	29.74	2.95
-918	1-1/8	1-2/9	1/9	.116	1.355	34.42	2.95
-920	1-1/4	1-1/3	1/9	.116	1.475	37.47	3.00
-924	1-1/2	1-5/8	1/9	.116	1.720	43.69	3.00
-928	1-3/4	1-7/8	1/9	.116	2.090	53.09	3.00
-932	2	2-1/9	1/9	.116	2.337	59.36	3.00